



CC Testing Labs, Inc.
18417 Bryant St
Northridge, CA 91325

818-797-1500
<http://www.cctestinglabs.com>
LIC# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

REGULATORY COMPLIANCE TESTING

CTL-230410-036
1 of 4

CERTIFICATE OF ANALYSIS

BATCH RESULT: PASS

SAMPLE: STRAWBERRY FANTA

CLIENT: VSV MUTUAL GROUP, INC.

COMPLETED: APR 12, 2023



METRC SAMPLE: 1A4060300009F66000003296 / METRC BATCH: 1A4060300009F66000003295

STRAWBERRY FANTA

BATCH NO.: CURESF04001
MATRIX: FLOWER
CATEGORY: INHALABLE
SAMPLE ID: CTL-230410-036
BATCH DATE: Apr 01, 2023
COLLECTED ON: APR 10, 2023
RECEIVED ON: APR 10, 2023
BATCH/SAMPLE SIZE: 12 LBS / 22 G

CULTIVATOR
VSV MUTUAL GROUP, INC.
11375 LUDDINGTON ST
SUN VALLEY, CA 91352
CCL19-0004081
ADULT-USE - CULTIVATOR
LICENSE

DISTRIBUTOR
VSV MUTUAL GROUP, INC.
11375 W LUDDINGTON ST
SUN VALLEY, CA 91352
C11-0000160-LIC
ADULT-USE AND MEDICINAL
- DISTRIBUTOR LICENSE


CANNABINOID OVERVIEW

TOTAL THC: 33.595 %

TOTAL CBD: 0.178 %

TOTAL CANNABINOIDS: 34.603 %

BATCH RESULT: PASS



CANNABINOIDS BY HPLC: CCTL-PM-002 // APR 11, 2023

ANALYTE	LIMIT	AMT (%)	AMT (mg/g)	LOD/LOQ (mg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (%)	AMT (mg/g)	LOD/LOQ (mg/g)	PASS/FAIL
CBC		ND	ND	0.1846/0.3693	N/A	Δ^8 -THC		ND	ND	0.1846/0.3693	N/A
CBD	0.112	1.12	1.12	0.1846/0.3693	N/A	Δ^9 -THC		1.035	10.35	0.1846/0.3693	N/A
CBDA	0.075	0.75	0.75	0.1846/0.3693	N/A	THCA		37.127	371.27	0.1846/0.3693	N/A
CBDV	ND	ND	ND	0.1846/0.3693	N/A	THCV		ND	ND	0.1846/0.3693	N/A
CBG	0.108	1.08	1.08	0.1846/0.3693	N/A	TOTAL THC**		33.595	335.95		N/A
CBGA	0.823	8.23	8.23	0.1846/0.3693	N/A	TOTAL CBD**		0.178	1.78		N/A
CBN	ND	ND	ND	0.1846/0.3693	N/A						

** TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)

** TOTAL CBD = CBD + (CBDA X 0.877)

DRY-WEIGHT AMOUNTS SHOWN



James W. Cox

James W. Cox
Laboratory Director
Apr 12, 2023

This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.



CC Testing Labs, Inc.
18417 Bryant St
Northridge, CA 91325

818-797-1500
<http://www.cctestinglabs.com>
LIC# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

REGULATORY COMPLIANCE TESTING

CTL-230410-036
2 of 4

TERPENES BY GCMS: CCTL-PM-050 // APR 11, 2023

ANALYTE	AMT (%)	AMT (mg/g)	LOD/LOQ (mg/g)	
(1R)-ENDO-(+)-FENCHYL ALCOHOL		0.072	0.72	0.176/0.351
α -BISABOLOL		0.058	0.58	0.176/0.351
α -CEDRENE		ND	ND	0.176/0.351
α -HUMULENE		0.142	1.42	0.176/0.351
α -PHELLANDRENE		ND	ND	0.176/0.351
α -PINENE		0.073	0.73	0.176/0.351
α -TERPINEOL		ND	ND	0.125/0.249
β -CARYOPHYLLENE		0.419	4.19	0.176/0.351
β -MYRCENE		0.715	7.15	0.176/0.351
β -PINENE		0.112	1.12	0.176/0.351
BORNEOL		ND	ND	0.176/0.351
CAMPHENE		< LOQ	< LOQ	0.176/0.351
CAMPHOR		ND	ND	0.176/0.351
CARYOPHYLLENE OXIDE		ND	ND	0.176/0.351
CEDROL		ND	ND	0.176/0.351
CIS- β -OCIMENE		ND	ND	0.117/0.233
CIS-NEROLIDOL		ND	ND	0.176/0.351
D-LIMONENE		0.668	6.68	0.060/0.120
Δ^3 -CARENE		ND	ND	0.176/0.351
EUCALYPTOL		ND	ND	0.176/0.351
FARNESENE		ND	ND	0.176/0.351
γ -TERPINENE		ND	ND	0.176/0.351
γ -TERPINEOL		ND	ND	0.176/0.351
GERANIOL		ND	ND	0.176/0.351
GERANYL ACETATE		ND	ND	0.176/0.351
GUAIOL		ND	ND	0.176/0.351
ISOBORNEOL		ND	ND	0.176/0.351
ISOPULEGOL		ND	ND	0.176/0.351
L(-)-FENCHONE		ND	ND	0.176/0.351
LINALOOL		0.311	3.11	0.176/0.351
MENTHOL		0.115	1.15	0.176/0.351
NEROL		ND	ND	0.039/0.077
PULEGONE		ND	ND	0.176/0.351
SABINENE		ND	ND	0.176/0.351
SABINENE HYDRATE		ND	ND	0.176/0.351
TERPINOLENE		ND	ND	0.176/0.351
TRANS- β -OCIMENE		ND	ND	0.176/0.351
TRANS-NEROLIDOL		ND	ND	0.176/0.351
VALENCENE		ND	ND	0.176/0.351
TOTAL TERPENES		2.685	26.85	



James W. Cox

James W. Cox
Laboratory Director
Apr 12, 2023

This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.



CC Testing Labs, Inc.
18417 Bryant St
Northridge, CA 91325

818-797-1500
<http://www.cctestinglabs.com>
LIC# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

PESTICIDES BY GCMS: CCTL-PM-020

PESTICIDES BY LCMS: CCTL-PM-030

ANALYTE	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
PYRETHRINS	0.5	ND		PASS	PHOSMET	0.1	ND	0.006/0.012	PASS
SPINETORAM	0.1	ND		PASS	PIPERONYLBUTO- XIDE	3	ND	0.006/0.012	PASS
SPINOSAD	0.1	ND		PASS	PRALLETHRIN	0.1	ND	0.006/0.012	PASS
ABAMECTIN	0.1	ND	0.006/0.012	PASS	PROPICONAZOLE	0.1	ND	0.006/0.012	PASS
CHLORDANE ¹	Any amt	ND		PASS	PYRETHRINS		ND	0.006/0.012	N/A
CYFLUTHRIN	2	ND	0.024/0.047	PASS	PYRETHRIN I				
CYPERMETHRIN	1	ND	0.012/0.024	PASS	PYRETHRINS		ND	0.006/0.012	N/A
DIMETHOMORPH	2	ND	0.006/0.012	PASS	PYRETHRIN II				
MALATHION	0.5	ND	0.006/0.012	PASS	PYRIDABEN	0.1	ND	0.006/0.012	PASS
PERMETHRIN	0.5	ND	0.024/0.048	PASS	SPINETORAM J		ND	0.006/0.012	N/A
ACEPHATE	0.1	ND	0.006/0.012	PASS	SPINETORAM L		ND	0.006/0.012	N/A
ACEQUINOCYL	0.1	ND	0.012/0.024	PASS	SPINOSAD A		ND	0.006/0.012	N/A
ACETAMIPRID	0.1	ND	0.006/0.012	PASS	SPINOSAD D		ND	0.006/0.012	N/A
AZOXYSTROBIN	0.1	ND	0.006/0.012	PASS	SPIROMESIFEN	0.1	ND	0.006/0.012	PASS
BIFENAZATE	0.1	ND	0.006/0.012	PASS	SPIROTETRAMAT	0.1	ND	0.006/0.012	PASS
BIFENTHRIN	3	ND	0.024/0.048	PASS	TEBUCONAZOLE	0.1	ND	0.006/0.012	PASS
BOSCALID	0.1	ND	0.006/0.012	PASS	THIAMETHOXAM	5	ND	0.006/0.012	PASS
CAPTAN	0.7	ND	0.240/0.480	PASS	TRIFLOXYSTROB- IN	0.1	ND	0.006/0.012	PASS
CARBARYL	0.5	ND	0.006/0.012	PASS	ALDICARB ¹	Any amt	ND	0.006/0.012	PASS
CHLORANTRANIL- IPROLE	10	ND	0.006/0.012	PASS	CARBOFURAN ¹	Any amt	ND	0.006/0.012	PASS
CLOFENTEZINE	0.1	ND	0.006/0.012	PASS	CHLORDANE CIS ¹		ND	0.015/0.030	N/A
DIAZINON	0.1	ND	0.006/0.012	PASS	CHLORDANE TRANS ¹		ND	0.015/0.030	N/A
ETOXAZOLE	0.1	ND	0.006/0.012	PASS	CHLORFENAPYR ¹	Any amt	ND	0.030/0.060	PASS
FENHEXAMID	0.1	ND	0.006/0.012	PASS	CHLORPYRIFOS ¹	Any amt	ND	0.006/0.012	PASS
FENPYROXIMATE	0.1	ND	0.006/0.012	PASS	COUMAPHOS ¹	Any amt	ND	0.006/0.012	PASS
FLONICAMID	0.1	ND	0.006/0.012	PASS	DAMINOZIDE ¹	Any amt	ND	0.006/0.012	PASS
FLUDIOXONIL	0.1	ND	0.006/0.012	PASS	DICHLORVOS ¹	Any amt	ND	0.006/0.012	PASS
HEXYTHIAZOX	0.1	ND	0.006/0.012	PASS	DIMETHOATE ¹	Any amt	ND	0.006/0.012	PASS
IMIDACLOPRID	5	ND	0.006/0.012	PASS	ETHOPROPHOS ¹	Any amt	ND	0.006/0.012	PASS
KRESOXIM- METHYL	0.1	ND	0.006/0.012	PASS	ETOFENPROX ¹	Any amt	ND	0.006/0.012	PASS
METALAXYL	2	ND	0.006/0.012	PASS	FENOXYCARB ¹	Any amt	ND	0.012/0.024	PASS
METHOMYL	1	ND	0.006/0.012	PASS	FIPRONIL ¹	Any amt	ND	0.006/0.012	PASS
MEVINPHOS ¹	Any amt	ND	0.006/0.012	PASS	IMAZALIL ¹	Any amt	ND	0.006/0.012	PASS
MYCLOBUTANIL	0.1	ND	0.006/0.012	PASS	METHIOCARB ¹	Any amt	ND	0.006/0.012	PASS
NALED	0.1	ND	0.006/0.012	PASS	METHYL PARATHION ¹	Any amt	ND	0.031/0.061	PASS
OXAMYL	0.5	ND	0.006/0.012	PASS	PACLOBUTRAZOL ¹	Any amt	ND	0.006/0.012	PASS
PENTACHLORONI- TROBENZENE	0.1	ND	0.031/0.061	PASS	PROPOXUR ¹	Any amt	ND	0.006/0.012	PASS
					SPIROXAMINE ¹	Any amt	ND	0.006/0.012	PASS
					THIACLOPRID ¹	Any amt	ND	0.006/0.012	PASS

¹ CATEGORY 1 PESTICIDES



James W. Cox

James W. Cox
Laboratory Director
Apr 12, 2023

This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.



CC Testing Labs, Inc.
18417 Bryant St
Northridge, CA 91325

818-797-1500
<http://www.cctestinglabs.com>
LIC# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

MOISTURE CONTENT: CCTL-PM-027 // APR 10, 2023

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
MOISTURE		8.890	N/A

MICROBIALS: CCTL-PM-007 // APR 11, 2023

ANALYTE	LIMIT (CFU)	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS

ANALYTE	LIMIT (CFU)	AMT (CFU)	PASS/FAIL
ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
SALMONELLA SPP.	Any amt in 1 gram	ND	PASS
SHIGA TOXIN-PRODUCING E. COLI	Any amt in 1 gram	ND	PASS

MYCOTOXINS BY LCMS: CCTL-PM-020 // APR 11, 2023

ANALYTE	LIMIT (µg/kg)	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	1.471/2.942	N/A
AFLATOXIN B2		ND	2.949/5.899	N/A
AFLATOXIN G1		ND	1.471/2.942	N/A

ANALYTE	LIMIT (µg/kg)	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN G2		ND	1.471/2.942	N/A
AFLATOXINS	20	ND		PASS
OCHRATOXIN A	20	ND	5.884/11.767	PASS

HEAVY METALS BY ICP-MS: CCTL-PM-005 // APR 11, 2023

ANALYTE	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2	ND	0.050/0.100	PASS
CADMIUM	0.2	ND	0.050/0.100	PASS

ANALYTE	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
LEAD	0.5	ND	0.050/0.100	PASS
MERCURY	0.1	ND	0.010/0.020	PASS

WATER ACTIVITY: CCTL-PM-028 // APR 10, 2023

ANALYTE	LIMIT (Aw)	AMT (Aw)	PASS/FAIL
WATER ACTIVITY	0.65	0.522	PASS

FOREIGN MATTER: CCTL-PM-003 // APR 10, 2023

ANALYTE	LIMIT (%)	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS

ANALYTE	LIMIT (%)	AMT (%)	PASS/FAIL
MOLD	25	ND	PASS
SAND, SOIL, CINDERS, DIRT	25	ND	PASS



James W. Cox

James W. Cox
Laboratory Director
Apr 12, 2023

This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.