



CC Testing Labs, Inc.  
18417 Bryant St  
Northridge, CA 91325

818-797-1500  
http://www.cctestinglabs.com  
LIC# C8-0000068-LIC  
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

REGULATORY COMPLIANCE TESTING

CTL-230515-024  
1 of 4

## CERTIFICATE OF ANALYSIS

### BATCH RESULT: PASS

SAMPLE: YUM - YUMZ

CLIENT: VSV MUTUAL GROUP, INC.

COMPLETED: MAY 17, 2023



METRC SAMPLE: 1A4060300009F66000003414 / METRC BATCH: 1A4060300009F66000003412

#### YUM - YUMZ

BATCH NO.: CUREYY05004  
MATRIX: FLOWER  
CATEGORY: INHALABLE  
SAMPLE ID: CTL-230515-024  
BATCH DATE: Apr 28, 2023  
COLLECTED ON: MAY 15, 2023  
RECEIVED ON: MAY 15, 2023  
BATCH/SAMPLE SIZE: 10.2 LBS / 17 G

CULTIVATOR  
VSV MUTUAL GROUP, INC.  
7222 HINDS AVE  
NORTH HOLLYWOOD, CA  
91605  
CCL19-0004085  
ADULT-USE - CULTIVATOR  
LICENSE

DISTRIBUTOR  
VSV MUTUAL GROUP, INC.  
11375 W LUDDINGTON ST  
SUN VALLEY, CA 91352  
C11-0000160-LIC  
ADULT-USE AND MEDICINAL  
- DISTRIBUTOR LICENSE


#### CANNABINOID OVERVIEW

TOTAL THC: 30.571 %

TOTAL CBD: 0.125 %

TOTAL CANNABINOIDS: 31.350 %

#### BATCH RESULT: PASS



#### CANNABINOIDS BY HPLC: CCTL-PM-002 // MAY 16, 2023

ANALYTE	LIMIT	AMT (%)	AMT (mg/g)	LOD/LOQ (mg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (%)	AMT (mg/g)	LOD/LOQ (mg/g)	PASS/FAIL
CBC		ND	ND	0.2261/0.4522	N/A	Δ <sup>8</sup> -THC		ND	ND	0.2261/0.4522	N/A
CBD	0.072	0.72	0.2261/0.4522	N/A	Δ <sup>9</sup> -THC		ND	ND	0.2261/0.4522	N/A	
CBDA	0.061	0.61	0.2261/0.4522	N/A	THCA	34.859	348.59	0.2261/0.4522	N/A		
CBDV	ND	ND	0.2261/0.4522	N/A	THCV		ND	ND	0.2261/0.4522	N/A	
CBG	0.087	0.87	0.2261/0.4522	N/A	TOTAL THC**	30.571	305.71		N/A		
CBGA	0.645	6.45	0.2261/0.4522	N/A	TOTAL CBD**	0.125	1.25		N/A		
CBN	ND	ND	0.2261/0.4522	N/A							

\*\* TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)

\*\* TOTAL CBD = CBD + (CBDA X 0.877)

DRY-WEIGHT AMOUNTS SHOWN



James W. Cox

James W. Cox  
Laboratory Director  
May 17, 2023

This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.



CC Testing Labs, Inc.  
18417 Bryant St  
Northridge, CA 91325

818-797-1500  
<http://www.cctestinglabs.com>  
LIC# C8-0000068-LIC  
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

# REGULATORY COMPLIANCE TESTING

CTL-230515-024  
2 of 4

## TERPENES BY GCMS: CCTL-PM-050 // MAY 16, 2023

ANALYTE	AMT (%)	AMT (mg/g)	LOD/LOQ (mg/g)	
(1R)-ENDO-(+)-FENCHYL ALCOHOL		0.022	0.22	0.093/0.185
α-BISABOLOL		0.037	0.37	0.093/0.185
α-CEDRENE		ND	ND	0.093/0.185
α-HUMULENE		0.115	1.15	0.093/0.185
α-PHELLANDRENE		ND	ND	0.093/0.185
α-PINENE		< LOQ	< LOQ	0.093/0.185
α-TERPINEOL		ND	ND	0.066/0.131
β-CARYOPHYLLENE		0.238	2.38	0.093/0.185
β-MYRCENE		0.147	1.47	0.093/0.185
β-PINENE		0.022	0.22	0.093/0.185
BORNEOL		ND	ND	0.093/0.185
CAMPHENE		ND	ND	0.093/0.185
CAMPHOR		ND	ND	0.093/0.185
CARYOPHYLLENE OXIDE		ND	ND	0.093/0.185
CEDROL		ND	ND	0.093/0.185
CIS-β-OCIMENE		0.051	0.51	0.061/0.123
CIS-NEROLIDOL		ND	ND	0.093/0.185
D-LIMONENE		0.141	1.41	0.032/0.063
Δ <sup>3</sup> -CARENE		ND	ND	0.093/0.185
EUCALYPTOL		ND	ND	0.093/0.185
FARNESENE		ND	ND	0.093/0.185
γ-TERPINENE		ND	ND	0.093/0.185
γ-TERPINEOL		ND	ND	0.093/0.185
GERANIOL		ND	ND	0.093/0.185
GERANYL ACETATE		ND	ND	0.093/0.185
GUAJOL		ND	ND	0.093/0.185
ISOBORNEOL		ND	ND	0.093/0.185
ISOPULEGOL		ND	ND	0.093/0.185
L(-)-FENCHONE		ND	ND	0.093/0.185
LINALOOL		0.030	0.30	0.093/0.185
MENTHOL		0.024	0.24	0.093/0.185
NEROL		ND	ND	0.020/0.041
PULEGONE		ND	ND	0.093/0.185
SABINENE		ND	ND	0.093/0.185
SABINENE HYDRATE		ND	ND	0.093/0.185
TERPINOLENE		ND	ND	0.093/0.185
TRANS-β-OCIMENE		ND	ND	0.093/0.185
TRANS-NEROLIDOL		ND	ND	0.093/0.185
VALENCENE		ND	ND	0.093/0.185
TOTAL TERPENES		0.827	8.27	



*James W. Cox*

James W. Cox  
Laboratory Director  
May 17, 2023

This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.



CC Testing Labs, Inc.  
18417 Bryant St  
Northridge, CA 91325

818-797-1500  
<http://www.cctestinglabs.com>  
LIC# C8-0000068-LIC  
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

PESTICIDES BY GCMS: CCTL-PM-020

PESTICIDES BY LCMS: CCTL-PM-030

ANALYTE	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
PYRETHRINS	0.5	ND		PASS	PHOSMET	0.1	ND	0.006/0.012	PASS
SPINETORAM	0.1	ND		PASS	PIPERONYLBUTO- XIDE	3	ND	0.006/0.012	PASS
SPINOSAD	0.1	ND		PASS	PRALLETHRIN	0.1	ND	0.006/0.012	PASS
ABAMECTIN	0.1	ND	0.006/0.012	PASS	PROPICONAZOLE	0.1	ND	0.006/0.012	PASS
CHLORDANE <sup>1</sup>	Any amt	ND		PASS	PYRETHRINS		ND	0.006/0.012	N/A
CYFLUTHRIN	2	ND	0.024/0.048	PASS	PYRETHRIN I				
CYPERMETHRIN	1	ND	0.012/0.024	PASS	PYRETHRINS		ND	0.006/0.012	N/A
DIMETHOMORPH	2	ND	0.006/0.012	PASS	PYRETHRIN II				
MALATHION	0.5	ND	0.006/0.012	PASS	PYRIDABEN	0.1	ND	0.006/0.012	PASS
PERMETHRIN	0.5	ND	0.024/0.049	PASS	SPINETORAM J		ND	0.006/0.012	N/A
ACEPHATE	0.1	ND	0.006/0.012	PASS	SPINETORAM L		ND	0.006/0.012	N/A
ACEQUINOCYL	0.1	ND	0.012/0.024	PASS	SPINOSAD A		ND	0.006/0.012	N/A
ACETAMIPRID	0.1	ND	0.006/0.012	PASS	SPINOSAD D		ND	0.006/0.012	N/A
AZOXYSTROBIN	0.1	ND	0.006/0.012	PASS	SPIROMESIFEN	0.1	ND	0.006/0.012	PASS
BIFENAZATE	0.1	ND	0.006/0.012	PASS	SPIROTETRAMAT	0.1	ND	0.006/0.012	PASS
BIFENTHRIN	3	ND	0.024/0.049	PASS	TEBUCONAZOLE	0.1	ND	0.006/0.012	PASS
BOSCALID	0.1	ND	0.006/0.012	PASS	THIAMETHOXAM	5	ND	0.006/0.012	PASS
CAPTAN	0.7	ND	0.245/0.489	PASS	TRIFLOXYSTROB- IN	0.1	ND	0.006/0.012	PASS
CARBARYL	0.5	ND	0.006/0.012	PASS	ALDICARB <sup>1</sup>	Any amt	ND	0.006/0.012	PASS
CHLORANTRANIL- IPROLE	10	ND	0.006/0.012	PASS	CARBOFURAN <sup>1</sup>	Any amt	ND	0.006/0.012	PASS
CLOFENTEZINE	0.1	ND	0.006/0.012	PASS	CHLORDANE CIS <sup>1</sup>		ND	0.015/0.031	N/A
DIAZINON	0.1	ND	0.006/0.012	PASS	CHLORDANE TRANS <sup>1</sup>		ND	0.015/0.031	N/A
ETOXAZOLE	0.1	ND	0.006/0.012	PASS	CHLORFENAPYR <sup>1</sup>	Any amt	ND	0.031/0.061	PASS
FENHEXAMID	0.1	ND	0.006/0.012	PASS	CHLORPYRIFOS <sup>1</sup>	Any amt	ND	0.006/0.012	PASS
FENPYROXIMATE	0.1	ND	0.006/0.012	PASS	COUMAPHOS <sup>1</sup>	Any amt	ND	0.006/0.012	PASS
FLONICAMID	0.1	ND	0.006/0.012	PASS	DAMINOZIDE <sup>1</sup>	Any amt	ND	0.006/0.012	PASS
FLUDIOXONIL	0.1	ND	0.006/0.012	PASS	DICHLORVOS <sup>1</sup>	Any amt	ND	0.006/0.012	PASS
HEXYTHIAZOX	0.1	ND	0.006/0.012	PASS	DIMETHOATE <sup>1</sup>	Any amt	ND	0.006/0.012	PASS
IMIDACLOPRID	5	ND	0.006/0.012	PASS	ETHOPROPHOS <sup>1</sup>	Any amt	ND	0.006/0.012	PASS
KRESOXIM- METHYL	0.1	ND	0.006/0.012	PASS	ETOFENPROX <sup>1</sup>	Any amt	ND	0.006/0.012	PASS
METALAXYL	2	ND	0.006/0.012	PASS	FENOXYCARB <sup>1</sup>	Any amt	ND	0.012/0.024	PASS
METHOMYL	1	ND	0.006/0.012	PASS	FIPRONIL <sup>1</sup>	Any amt	ND	0.006/0.012	PASS
MEVINPHOS <sup>1</sup>	Any amt	ND	0.006/0.012	PASS	IMAZALIL <sup>1</sup>	Any amt	ND	0.006/0.012	PASS
MYCLOBUTANIL	0.1	ND	0.006/0.012	PASS	METHIOCARB <sup>1</sup>	Any amt	ND	0.006/0.012	PASS
NALED	0.1	ND	0.006/0.012	PASS	METHYL PARATHION <sup>1</sup>	Any amt	ND	0.031/0.062	PASS
OXAMYL	0.5	ND	0.006/0.012	PASS	PACLOBUTRAZOL <sup>1</sup>	Any amt	ND	0.006/0.012	PASS
PENTACHLORONI- TROBENZENE	0.1	ND	0.031/0.062	PASS	PROPOXUR <sup>1</sup>	Any amt	ND	0.006/0.012	PASS
					SPIROXAMINE <sup>1</sup>	Any amt	ND	0.006/0.012	PASS
					THIACLOPRID <sup>1</sup>	Any amt	ND	0.006/0.012	PASS

<sup>1</sup> CATEGORY 1 PESTICIDES



*James W. Cox*

James W. Cox  
Laboratory Director  
May 17, 2023

This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.



CC Testing Labs, Inc.  
18417 Bryant St  
Northridge, CA 91325

818-797-1500  
<http://www.cctestinglabs.com>  
LIC# C8-0000068-LIC  
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

### MOISTURE CONTENT: CCTL-PM-027 // MAY 15, 2023

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
MOISTURE		13.810	N/A

### MICROBIALS: CCTL-PM-007 // MAY 16, 2023

ANALYTE	LIMIT (CFU)	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS

ANALYTE	LIMIT (CFU)	AMT (CFU)	PASS/FAIL
ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
SALMONELLA SPP.	Any amt in 1 gram	ND	PASS
SHIGA TOXIN-PRODUCING E. COLI	Any amt in 1 gram	ND	PASS

### MYCOTOXINS BY LCMS: CCTL-PM-020 // MAY 17, 2023

ANALYTE	LIMIT (µg/kg)	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	1.498/2.996	N/A
AFLATOXIN B2		ND	3.004/6.008	N/A
AFLATOXIN G1		ND	1.498/2.996	N/A

ANALYTE	LIMIT (µg/kg)	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN G2		ND	1.498/2.996	N/A
AFLATOXINS	20	ND		PASS
OCHRATOXIN A	20	ND	5.992/11.984	PASS

### HEAVY METALS BY ICP-MS: CCTL-PM-005 // MAY 16, 2023

ANALYTE	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2	ND	0.050/0.100	PASS
CADMIUM	0.2	ND	0.050/0.100	PASS

ANALYTE	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
LEAD	0.5	ND	0.050/0.100	PASS
MERCURY	0.1	ND	0.010/0.020	PASS

### WATER ACTIVITY: CCTL-PM-028 // MAY 15, 2023

ANALYTE	LIMIT (Aw)	AMT (Aw)	PASS/FAIL
WATER ACTIVITY	0.65	0.616	PASS

### FOREIGN MATTER: CCTL-PM-003 // MAY 15, 2023

ANALYTE	LIMIT (%)	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS

ANALYTE	LIMIT (%)	AMT (%)	PASS/FAIL
MOLD	25	ND	PASS
SAND, SOIL, CINDERS, DIRT	25	ND	PASS



*James W. Cox*

James W. Cox  
Laboratory Director  
May 17, 2023

This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.